

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS #: 081155

MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Date of the previous version: 2015-03-09 Revision Date: 2015-08-27 Version 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

1.1. Product identifier

Product name MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Number 8MA Substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Motor oil.

1.3. Details of the supplier of the safety data sheet

Supplier TOTAL BELGIUM

Handelsstraat, 93, Rue du Commerce B-1040 BRUSSEL - BRUXELLES

België - Belgique Tel: +32 (0)22 889 933 Fax: +32 (0)22 883 260

For further information, please contact:

Contact Point HSE

E-mail Address rm.be-reach-belgium-msds@total.com

1.4. Emergency telephone number

Official National Emergency Number:

Teleserv S.O.S Total Belgium: +32 (0)78 15 51 51 On duty staff in Ertvelde (Lub): +32 (0)475 66 07 77

Burns Centers:

Bruxelles - (NOH) - Brussel: +32 (0)2 264 48 48, Hopital Militaire Reine Astrid - Militair Hospitaal Koningin Astrid

Antwerpen - Anvers: +32 (0)3 217 71 11, Algemeen centrum Ziekenhuis

Gent - Gand : +32 (0)9 240 34 90 Centre Universitaire UZ Gand-Universitair Ziekenhuis UZ Gent

Leuven - Louvain: +32 (0)16 34 87 50 U.Z. Leuven

Loverval: +32 (0)71 44 80 00, Hôpital Saint Joseph et Sainte Thérèse, section I.M.T.R Luik - Liège: +32 (0)4 366 72 94, CHU Liège domaine Universitaire du Sart Tilman

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

REGULATION (EC) No 1272/2008 ***

For the full text of the H-Statements mentioned in this Section, see Section 2.2.***

Classification

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008*** Chronic aquatic toxicity - Category 3*** - (H412)***

2.2. Label elements

Labelled according to

REGULATION (EC) No 1272/2008***

Hazard Statements ***

H412 - Harmful to aquatic life with long lasting effects***

Precautionary statements

P273 - Avoid release to the environment

P501 - Dispose of contents/ container to an approved waste disposal plant***

Contains C14-16-18 Alkyl phenol May produce an allergic reaction***

2.3. Other hazards

Environmental properties Contaminated surfaces will be extremely slippery.***

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Chemical nature The product is made from refined mineral base oils and synthetic oils.

Chemical nature	1110	Toduct is made nom	renned mineral bas	e olis aliu syi	ili lette olis.
Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	GHS Classification
C14-16-18 Alkyl phenol***	-	01-2119498288-19**	۸	0-0.99	Skin Sens. 1 (H317) Aquatic Chronic 4 (H413) ***
2-(2-heptadec-8-enyl-2-imid azolin-1-yl)ethanol***	202-414-9	no data available	95-38-5	0-0.99	Acute Tox. 4 (H302) Skin Corr. 1C (H314) STOT RE 2 (H373) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Remove contaminated clothing and shoes. Wash off with soap and water. Wash

contaminated clothing before reuse.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact Not classified.

Skin contact Not classified.

Inhalation Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory

system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂). ABC powder. Foam. Water spray or fog.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may

be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Precautions for fire-fighters

Special protective equipment for

fire-fighters

Wear self-contained breathing apparatus and protective suit.



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

Other information

Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely

slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all

sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from

entering drains or water courses. Local authorities should be advised if significant spillages

cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustable absorbent material, (e.g.

sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according

to local / national regulations (see section 13). Keep in suitable, closed containers for

disposal.

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in

well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes

and clothing.

Prevention of fire and explosion Take precautionary measures against static discharges: Ground/bond containers, tanks

and transfer/receiving equipment.

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do

not use abrasives, solvents or fuels. Do not dry hands with rags that have been

contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to avoid

Strong oxidising agents.

7.3. Specific use(s)

Specific use(s) No information available.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH

(TLV) TWA 5 mg/m³ (highly refined)

Legend See section 16

DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
2-(2-heptadec-8-enyl-2-i	, ,		0.06 mg/kg bw/day	
midazolin-1-yl)ethanol***	14 mg/m³ Inhalation		Dermal	
95-38-5			0.46 mg/m³ Inhalation	

DNEL Consumer

Predicted No Effect Concentration

(PNEC)

Chemical Name	Water	Sediment	Soil	Air	STP	Oral
2-(2-heptadec-8-eny	0.00003 mg/l fw	0.376 mg/kg dw	0.075 mg/kg dw		0.27 mg/l	
I-2-imidazolin-1-yl)et	0.000003 mg/l	fw				
hanol***	mw	0.0376 mg/kg dw				
95-38-5	0.0003 mg/l or	mw				

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Personal protective equipment



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

General InformationIf the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). Type A/P2. The use of breathing apparatus must comply strictly with the

manufacturer's instructions and the regulations governing their choices and uses.

Eye protection If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand protection Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374,

contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Clear
Colour yellow
Physical state @20°C Liquid
Odour characteristic

Property <u>Values</u> Remarks Method Not applicable Boiling point/boiling range Not applicable Flash point 234 °C Cleveland Open Cup (COC) 453 °F Cleveland Open Cup (COC) No information available **Evapouration rate** Flammability Limits in Air No information available Vapour pressure No information available Vapour density No information available **Density** 842.6 kg/m³ @ 15 °C ISO 12185 Water solubility Insoluble Solubility in other solvents No information available logPow No information available **Autoignition temperature** No information available Viscosity, kinematic 50.12 mm2/s @ 40 °C ISO 3104



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

9.84 mm2/s @ 100 °C ISO 3104

Explosive properties Not explosive Oxidising properties Not applicable Possibility of hazardous reactions Not applicable

9.2. Other information

No information available***

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information No information available.

10.2. Chemical stability

Stability Stable under recommended storage conditions.***

10.3. Possibility of hazardous reactions

Hazardous reactionsNone under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact . Not classified.

Eye contact . Not classified.

Inhalation . Not classified. Inhalation of vapours in high concentration may cause irritation of

respiratory system.



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

Ingestion

. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)etha	LD50 1265 mg/kg (Rat - OECD	LD50 > 2000 mg/kg (Rat)	
nol***	401)		

Sensitisation

Sensitisation Not classified as a sensitizer.

Specific effects

Carcinogenicity This product is not classified carcinogenic. During use in engines, contamination of oil with

low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil

is thoroughly removed by washing with soap and water.

Mutagenicity

This product is not classified as mutagenic.

Reproductive toxicity

This product does not present any known or suspected reproductive hazards.

Repeated Dose Toxicity

Subchronic Toxicity No information available.

Target Organ Effects (STOT)

Target Organ Effects (STOT) No information available.

Other information

Other adverse effects Characteristic skin lesions (oil blisters) may develop following prolonged and repeated

exposures (contact with contaminated clothing).

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
C14-16-18 Alkyl phenol***		EC50(48h) > 100 mg/l (Daphnia magna - static - OECD202)***		
2-(2-heptadec-8-enyl-2-imid azolin-1-yl)ethanol*** 95-38-5	` ,	EC50 (48h) 0.163 mg/l (Daphnia magna semi-static - OECD 202)	LD50 (96h) 0.3 mg/l (Brachydanio rerio - OECD 203)	

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

.

Effects on terrestrial organisms

No information available.

12.2. Persistence and Degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information No information available.***

logPow No information available

Component Information .

Chemical Name	log Pow
2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol*** - 95-38-5	7.51

12.4. Mobility in soil

Soil Given its physical and chemical characteristics, the product generally shows low soil

mobility.

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues / unused products

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Where possible recycling is preferred to disposal or incineration. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Dispose of in accordance with local regulations.

EWC Waste Disposal No

The following Waste Codes are only suggestions:. 13 02 05. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR/RID not regulated

IMDG/IMO not regulated

ICAO/IATA not regulated

ADN not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Further information

No information available***

15.2. Chemical Safety Assessment



MAZDA ORIGINAL OIL SUPRA DPF 0W-30

Revision Date: 2015-08-27 Version 3

Chemical Safety Assessment No.

No information available

15.3. National regulatory information

Belgium

Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H413 - May cause long lasting harmful effects to aquatic life

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H373 - May cause damage to the kidneys/ liver/ eyes/ brain/ digestive system/ central nervous system through prolonged or repeated exposure if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H317 - May cause an allergic skin reaction***

Abbreviations, acronyms

Legend Section 8

TWA: Time Weight Average STEL: Short Time Exposure Limit

+ Sensitiser * Skin designation

** Hazard Designation C: Carcinogen

M: Mutagen R: Toxic to reproduction

Revision Date: 2015-08-27

Revision Note*** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet